


Image






TRIM29 Antibody

| Product Code | CSB-PA289988 |
|----------------------------|--|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q14134 |
| Immunogen | Fusion protein of Human TRIM29 |
| Raised In | Rabbit |
| Species Reactivity | Human, Mouse |
| Tested Applications | ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:500-1:2000,IHC:1:50-1:200 |
| Relevance | The protein encoded by this gene belongs to the TRIM protein family. It has multiple zinc finger motifs and a leucine zipper motif. It has been proposed to form homo- or heterodimers which are involved in nucleic acid binding. Thus, it may act as a transcriptional regulatory factor involved in carcinogenesis and/or differentiation. It may also function in the suppression of radiosensitivity since it is associated with ataxia telangiectasia phenotype. |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Purification Method | Antigen affinity purification |
| Isotype | IgG |
| Alias | tripartite motif containing 29 |
| Species | Homo sapiens (Human) |
| Target Names | TRIM29 |



The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using CSB-PA289988(TRIM29 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: x200)




The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA289988(TRIM29 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200)











Gel: 8%SDS-PAGE, Lysate: 40 μ g, Lane: HT29 cells, Primary antibody: CSB-PA289988(TRIM29 Antibody) at dilution 1/400, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 seconds