







## gag Antibody, FITC conjugated

Product Code	CSB-PA356017EC01MHK
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P03332
Immunogen	Recombinant Moloney murine leukemia virus Gag polyprotein protein (216-478AA)
Raised In	Rabbit
Species Reactivity	Moloney murine leukemia virus
Tested Applications	ELISA
Relevance	Gag polyprotein plays a role in budding and is processed by the viral protease during virion maturation outside the cell. During budding, it recruits, in a PPXY-dependent or independent manner, Nedd4-like ubiquitin ligases that conjugate ubiquitin molecules to Gag, or to Gag binding host factors. Interaction with HECT ubiquitin ligases probably link the viral protein to the host ESCRT pathway and facilitate release.
Form	Liquid
Conjugate	FITC
Storage Buffer	Preservative: 0.03% Proclin 300
Otorage Barrer	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	
	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified
Purification Method Isotype	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified  IgG
Purification Method Isotype Clonality	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal  Gag polyprotein (Pr65gag) (Core polyprotein) [Cleaved into: Matrix protein p15 (MA); RNA-binding phosphoprotein p12 (pp12); Capsid protein p30 (CA);
Purification Method Isotype Clonality Alias	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal  Gag polyprotein (Pr65gag) (Core polyprotein) [Cleaved into: Matrix protein p15 (MA); RNA-binding phosphoprotein p12 (pp12); Capsid protein p30 (CA); Nucleocapsid protein p10-Gag (NC-gag)], gag
Purification Method Isotype Clonality Alias Species	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal  Gag polyprotein (Pr65gag) (Core polyprotein) [Cleaved into: Matrix protein p15 (MA); RNA-binding phosphoprotein p12 (pp12); Capsid protein p30 (CA); Nucleocapsid protein p10-Gag (NC-gag)], gag  Moloney murine leukemia virus