


**Image** 





## E2F6 Antibody

<b>Product Code</b>	CSB-PA365158
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O75461
Immunogen	Fusion protein of Human E2F6
Raised In	Rabbit
Species Reactivity	Human, Mouse
<b>Tested Applications</b>	ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:500-1:2000,IHC:1:100-1:300
Relevance	This gene encodes a member of a family of transcription factors that play a crucial role in the control of the cell cycle. The protein encoded by this gene lacks the transactivation and tumor suppressor protein association domains found in other family members, and contains a modular suppression domain that functions in the inhibition of transcription. It interacts in a complex with chromatin modifying factors. There are pseudogenes for this gene on chromosomes 22 and X. Alternative splicing results in multiple transcript variants.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
<b>Purification Method</b>	Antigen affinity purification
Isotype	IgG
Alias	E2F transcription factor 6
Species	Homo sapiens (Human)
Target Names	E2F6
•	




The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using CSB-PA365158(E2F6 Antibody) at dilution 1/60, on the right is treated with fusion protein. (Original magnification: x200)












The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using CSB-PA365158(E2F6 Antibody) at dilution 1/60, on the right is treated with fusion protein. (Original magnification: x200)



Gel: 8%SDS-PAGE, Lysate: 40 μg, Lane 1-5: LoVo cells, A549 cells, human hepatocellular carcinoma tissue, Jurkat cells, Hela cells, Primary antibody: CSB-PA365158(E2F6 Antibody) at dilution 1/650, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 30 seconds