





Phospho-CHEK2 (Ser516) Antibody

Product Code	CSB-PA440208
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O96017
Immunogen	Peptide sequence around phosphorylation site of serine 516 (Q-P-S(p)-T-S) derived from Human Chk2.
Raised In	Rabbit
Species Reactivity	Human
Specificity	The antibody detects endogenous level of Chk2 only when phosphorylated at serine 516.
Tested Applications	ELISA,WB;WB:1:500-1:1000
Relevance	In response to DNA demage and replication blocks, call evals progression is

In response to DNA damage and replication blocks, cell cycle progression is halted through the control of critical cell cycle regulators. The protein encoded by Chk2 gene is a cell cycle checkpoint regulator and putative tumor suppressor. It contains a forkhead-associated protein interaction domain essential for activation in response to DNA damage and is rapidly phosphorylated in response to replication blocks and DNA damage. When activated, the encoded protein is known to inhibit CDC25C phosphatase, preventing entry into mitosis, and has been shown to stabilize the tumor suppressor protein p53, leading to cell cycle arrest in G1. In addition, this protein interacts with and phosphorylates BRCA1, allowing BRCA1 to restore survival after DNA damage. Mutations in this gene have been linked with Li-Fraumeni syndrome, a highly penetrant familial cancer phenotype usually associated with inherited mutations in TP53. Also, mutations in this gene are thought to confer a predisposition to sarcomas, breast cancer, and brain tumors. This nuclear protein is a member of the CDS1 subfamily of serine/threonine protein kinases. Three transcript variants encoding different isoforms have been found for this gene.


Wu X, Chen J et al.(2003) J Biol Chem; 278(38): 36163-8 Schwarz JK, et al.(2003)Mol Cancer Res; 1(8): 598-609 Lou Z, et al.(2003) Nature; 421(6926): 957-61

Form	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Purification Method	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi

Clonality Polyclonal



CUSABIO TECHNOLOGY LLC








Alias	CHEK2; Cds1;
Product Type	Polyclonal Antibody
Species	Homo sapiens (Human)
Target Names	CHEK2

Image



Western blot analysis of extracts from A549 cells untreated or treated with Anisomycin using Chk2(Phospho-Ser516) Antibody.

Product Modify

Phospho-Ser516