






ATG4A Antibody

Product Code	CSB-PA547032
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8WYN0
Immunogen	Synthetic peptide of Human ATG4A
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:200-1:1000,IHC:1:25-1:100
Relevance	Autophagy is the process by which endogenous proteins and damaged organelles are destroyed intracellularly. Autophagy is postulated to be essential for cell homeostasis and cell remodeling during differentiation, metamorphosis, non-apoptotic cell death, and aging. Reduced levels of autophagy have been described in some malignant tumors, and a role for autophagy in controlling the unregulated cell growth linked to cancer has been proposed. This gene encodes a member of the autophagin protein family. The encoded protein is also designated as a member of the C-54 family of cysteine proteases. Transcript variants that encode distinct isoforms have been identified.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification Method	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	ATG4A
Image	The image on the left is immunohistochemistry of




The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA547032(ATG4A Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: x200)










The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using CSB-PA547032(ATG4A Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)



Gel: 10%SDS-PAGE, Lysate: 40 μg, Lane 1-2: 231 cells, human liver cancer tissue, Primary antibody: CSB-PA547032(ATG4A Antibody) at dilution 1/300, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 minutes