








CXCR3 Antibody


| Product Code | CSB-PA580658 |
|----------------------------|---|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | P49682 |
| Immunogen | Synthetic peptide of Human CXCR3 |
| Raised In | Rabbit |
| Species Reactivity | Human, Mouse, Rat |
| Tested Applications | ELISA,IHC;ELISA:1:1000-1:2000,IHC:1:25-1:100 |
| Relevance | This gene encodes a G protein-coupled receptor with selectivity for three chemokines, termed CXCL9/Mig (monokine induced by interferon-g), CXCL10/IP10 (interferon-g-inducible 10 kDa protein) and CXCL11/I-TAC (interferon-inducible T cell a-chemoattractant). Binding of chemokines to this protein induces cellular responses that are involved in leukocyte traffic, most notably integrin activation, cytoskeletal changes and chemotactic migration. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. One of the isoforms (CXCR3-B) shows high affinity binding to chemokine, CXCL4/PF4. |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Purification Method | Antigen affinity purification |
| Isotype | IgG |
| Species | Homo sapiens (Human) |
| Target Names | CXCR3 |
| Image | |



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using CSB-PA580658(CXCR3 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: x200)




CUSABIO TECHNOLOGY LLC











The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using CSB-PA580658(CXCR3 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)