


**Image** 





## **HRG** Antibody

<b>Product Code</b>	CSB-PA589788
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P04196
Immunogen	Synthetic peptide of Human HRG
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA,IHC;ELISA:1:2000-1:5000,IHC:1:50-1:200
Relevance	This histidine-rich glycoprotein contains two cystatin-like domains and is located in plasma and platelets. The physiological function has not been determined but it is known that the protein binds heme, dyes and divalent metal ions. It can inhibit rosette formation and interacts with heparin, thrombospondin and plasminogen. Two of the protein's effects, the inhibition of fibrinolysis and the reduction of inhibition of coagulation, indicate a potential prothrombotic effect. Mutations in this gene lead to thrombophilia due to abnormal histidine-rich glycoprotein levels.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
<b>Purification Method</b>	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	HRG



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using CSB-PA589788(HRG Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: ×200)




## **CUSABIO TECHNOLOGY LLC**









The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA589788(HRG Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: ×200)