






MAD2L1 Antibody

Product Code	CSB-PA619756ESR2HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q13257
Immunogen	Recombinant Human Mitotic spindle assembly checkpoint protein MAD2A protein (1-205AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200
Relevance	Component of the spindle-assembly checkpoint that prevents the onset of anaphase until all chromosomes are properly aligned at the metaphase plate. Required for the execution of the mitotic checkpoint which monitors the process of kinetochore-spindle attachment and inhibits the activity of the anaphase promoting complex by sequestering CDC20 until all chromosomes are aligned at the metaphase plate.
Form	Liquid
Form Conjugate	Liquid Non-conjugated
	·
Conjugate	Non-conjugated
Conjugate Storage Buffer	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Conjugate Storage Buffer Purification Method	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Antigen Affinity Purified
Conjugate Storage Buffer Purification Method Isotype	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Antigen Affinity Purified IgG
Conjugate Storage Buffer Purification Method Isotype Clonality	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Antigen Affinity Purified IgG Polyclonal Mitotic spindle assembly checkpoint protein MAD2A (HsMAD2) (Mitotic arrest
Conjugate Storage Buffer Purification Method Isotype Clonality Alias	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Antigen Affinity Purified IgG Polyclonal Mitotic spindle assembly checkpoint protein MAD2A (HsMAD2) (Mitotic arrest deficient 2-like protein 1) (MAD2-like protein 1), MAD2L1, MAD2
Conjugate Storage Buffer Purification Method Isotype Clonality Alias Species	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Antigen Affinity Purified IgG Polyclonal Mitotic spindle assembly checkpoint protein MAD2A (HsMAD2) (Mitotic arrest deficient 2-like protein 1) (MAD2-like protein 1), MAD2L1, MAD2 Human



Western blot

All lanes: Mitotic spindle assembly checkpoint protein MAD2A antibody at 3µg/ml + 293T whole cell lysate Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 24, 11 kDa

Observed band size: 24 kDa















Immunohistochemistry of paraffin-embedded human colon using CSB-PA619756ESR2HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon cancer using CSB-PA619756ESR2HU at dilution of 1:100