


Image





FBXW7 Antibody

Storage Uniprot No.	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Q969H0
	Q969H0
Immunogen	Fusion protein of Human FBXW7
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA,IHC;ELISA:1:2000-1:5000,IHC:1:50-1:200
Relevance	This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene was previously referred to as FBX30, and belongs to the Fbws class; in addition to an F-box, this protein contains 7 tandem WD40 repeats.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification Method	Antigen affinity purification
	In C
Isotype	IgG
Isotype Species	Homo sapiens (Human)
Conjugate Storage Buffer	WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene was previously referred to as FBX30, and belongs to the Fbws class; in addition to an F-box, this protein contains 7 tandem WD40 repeats. Liquid Non-conjugated -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol Antigen affinity purification



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA623964(FBXW7 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)




CUSABIO TECHNOLOGY LLC











The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA623964(FBXW7 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)