







## PDE4D Antibody

Product Code	CSB-PA781587
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q08499
Immunogen	Fusion protein of Human PDE4D
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:500-1:2000,IHC:1:25-1:100
Relevance	This gene encodes one of four mammalian counterparts to the fruit fly 'dunce' gene. The encoded protein has 3',5'-cyclic-AMP phosphodiesterase activity and degrades cAMP, which acts as a signal transduction molecule in multiple cell types. This gene uses different promoters to generate multiple alternatively spliced transcript variants that encode functional proteins.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification Method	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	PDE4D
Image	The image on the left is immunohisteehemistry of



The image on the left is immunohistochemistry of paraffin-embedded Human gastic cancer tissue using CSB-PA781587(PDE4D Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)




The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA781587(PDE4D Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x200)



## **CUSABIO TECHNOLOGY LLC**







Gel: 8%SDS-PAGE, Lysate: 40  $\mu$ g, Lane 1-4: Human bladder carcinoma tissue, A172 cells, human fetal brain tissue, hela cells, Primary antibody: CSB-PA781587(PDE4D Antibody) at dilution 1/500, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 seconds