

Image








UBL4A Antibody

Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
	Opon receipt, store at -20 C of -00 C. Avoid repeated freeze.
Uniprot No.	P11441
Immunogen	Full length fusion protein
Raised In	Rabbit
Species Reactivity	Human, Mouse, Rat
Tested Applications	ELISA,IHC;ELISA:1:2000-1:5000,IHC:1:25-1:100
Relevance	Component of the BAT3 complex, a multiprotein complex involved in the post-translational delivery of tail-anchored (TA) membrane proteins to the endoplasmic reticulum membrane. TA membrane proteins, also named type II transmembrane proteins, contain a single C-terminal transmembrane region. The complex acts by facilitating TA proteins capture by ASNA1/TRC40: it is recruited to ribosomes synthesizing membrane proteins, interacts with the transmembrane region of newly released TA proteins, and transfers them to ASNA1/TRC40 for targeting.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification Method	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
	transmembrane proteins, contain a single C-terminal transmembrane region. The complex acts by facilitating TA proteins capture by ASNA1/TRC40: it is recruited to ribosomes synthesizing membrane proteins, interacts with the transmembrane region of newly released TA proteins, and transfers them to ASNA1/TRC40 for targeting. Liquid



The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA785877(UBL4A Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)




CUSABIO TECHNOLOGY LLC









The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA785877(UBL4A Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)