


TTLL6 Antibody

Product Code	CSB-PA818727LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8N841
Immunogen	Recombinant Human Tubulin polyglutamylase TTLL6 protein (121-310AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:500-1:1000
Relevance	Polyglutamylase which preferentially modifies alpha-tubulin. Mediates tubulin polyglutamylation in cilia. Involved in the side-chain elongation step of the polyglutamylation reaction rather than in the initiation step.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Tubulin polyglutamylase TTLL6 (EC 6.-.-.) (Tubulin--tyrosine ligase-like protein 6), TTLL6, TTL.6
Species	Human
Research Area	Others
Target Names	TTLL6

Image



Western Blot

Positive WB detected in: U87 whole cell lysate


All lanes: TTLL6 antibody at 5µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 97, 65 kDa

Observed band size: 97 kDa



IHC image of CSB-PA818727LA01HU diluted at 1:500 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.