


**Image** 






## TAF10 Antibody

<b>Product Code</b>	CSB-PA830634
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q12962
Immunogen	Synthetic peptide of Human TAF10
Raised In	Rabbit
Species Reactivity	Human, Mouse
<b>Tested Applications</b>	ELISA,IHC;ELISA:1:2000-1:5000,IHC:1:25-1:100
Relevance	Initiation of transcription by RNA polymerase II requires the activities of more than 70 polypeptides. The protein that coordinates these activities is transcription factor IID (TFIID), which binds to the core promoter to position the polymerase properly, serves as the scaffold for assembly of the remainder of the transcription complex, and acts as a channel for regulatory signals. TFIID is composed of the TATA-binding protein (TBP) and a group of evolutionarily conserved proteins known as TBP-associated factors or TAFs.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
<b>Purification Method</b>	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	TAF10



The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA830634(TAF10 Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: ×200)



The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using CSB-PA830634(TAF10 Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: ×200)



## **CUSABIO TECHNOLOGY LLC**



