





DYNLL2 Antibody

Product Code	CSB-PA839322LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q96FJ2
Immunogen	Recombinant Human Dynein light chain 2, cytoplasmic protein (1-89AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA
Relevance	Acts as one of several non-catalytic accessory components of the cytoplasmic dynein 1 complex that are thought to be involved in linking dynein to cargos and to adapter proteins that regulate dynein function. Cytoplasmic dynein 1 acts as a motor for the intracellular retrograde motility of vesicles and organelles along microtubules. May play a role in changing or maintaining the spatial distribution of cytoskeletal structures (By similarity).
Form	Liquid
Form Conjugate	Liquid Non-conjugated
Conjugate	Non-conjugated Preservative: 0.03% Proclin 300
Conjugate Storage Buffer	Non-conjugated Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Conjugate Storage Buffer Purification Method	Non-conjugated Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified
Conjugate Storage Buffer Purification Method Isotype	Non-conjugated Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG
Conjugate Storage Buffer Purification Method Isotype Clonality	Non-conjugated Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Dynein light chain 2, cytoplasmic (8 kDa dynein light chain b) (DLC8b) (Dynein
Conjugate Storage Buffer Purification Method Isotype Clonality Alias	Non-conjugated Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Dynein light chain 2, cytoplasmic (8 kDa dynein light chain b) (DLC8b) (Dynein light chain LC8-type 2), DYNLL2, DLC2