

SGTB Antibody, Biotin conjugated

protein beta protein (14-304AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISARelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonal		
Uniprot No.Q96EQ0ImmunogenRecombinant Human Small glutamine-rich tetratricopeptide repeat-containing protein beta protein (14-304AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISARelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Product Code	CSB-PA846614LD01HU
ImmunogenRecombinant Human Small glutamine-rich tetratricopeptide repeat-containing protein beta protein (14-304AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISARelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
protein beta protein (14-304AA)Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISARelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Uniprot No.	Q96EQ0
Species ReactivityHumanTested ApplicationsELISARelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Immunogen	Recombinant Human Small glutamine-rich tetratricopeptide repeat-containing protein beta protein (14-304AA)
Tested ApplicationsELISARelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Raised In	Rabbit
RelevanceCo-chaperone that binds directly to HSC70 and HSP70 and regulates their ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Species Reactivity	Human
ATPase activity.FormLiquidConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Tested Applications	ELISA
ConjugateBiotinStorage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Relevance	
Storage BufferPreservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Form	Liquid
Constituents: 50% Glycerol, 0.01M PBS, PH 7.4Purification Method>95%, Protein G purifiedIsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Conjugate	Biotin
IsotypeIgGClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Storage Buffer	
ClonalityPolyclonalAliasSmall glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Purification Method	>95%, Protein G purified
Alias Small glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SC (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2 Species Homo sapiens (Human) Research Area Signal Transduction	Isotype	lgG
(Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2SpeciesHomo sapiens (Human)Research AreaSignal Transduction	Clonality	Polyclonal
Research Area Signal Transduction	Alias	Small glutamine-rich tetratricopeptide repeat-containing protein beta (Beta-SGT) (Small glutamine-rich protein with tetratricopeptide repeats 2), SGTB, SGT2
	Species	Homo sapiens (Human)
Target Names SGTB	Research Area	Signal Transduction
	Target Names	SGTB