



SPPL2A Antibody, HRP conjugated

Product Code	CSB-PA855050LB01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8TCT8
Immunogen	Recombinant Human Signal peptide peptidase-like 2A protein (26-172AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA
Relevance	Intramembrane-cleaving aspartic protease (I-CLiP) that cleaves type II membrane signal peptides in the hydrophobic plane of the membrane. Functions in FASLG, ITM2B and TNF processing (PubMed:16829952, PubMed:16829951, PubMed:17557115, PubMed:17965014). Catalyzes the intramembrane cleavage of the anchored fragment of shed TNF-alpha (TNF), which promotes the release of the intracellular domain (ICD) for signaling to the nucleus (PubMed:16829952). Also responsible for the intramembrane cleavage of Fas antigen ligand FASLG, which promotes the release of the intracellular FasL domain (FasL ICD) (PubMed:17557115). May play a role in the regulation of innate and adaptive immunity (PubMed:16829952). Catalyzes the intramembrane cleavage of the simian foamy virus envelope glycoprotein gp130 independently of prior ectodomain shedding by furin or furin-like proprotein convertase (PC)-mediated cleavage proteolysis (PubMed:23132852).
Form	Liquid
Conjugate	HRP
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Signal peptide peptidase-like 2A (SPP-like 2A) (SPPL2a) (EC 3.4.23.-) (Intramembrane protease 3) (IMP-3) (Presenilin-like protein 2), SPPL2A, IMP3 PSL2
Species	Homo sapiens (Human)
Research Area	Cell Biology
Target Names	SPPL2A