





CINP Antibody, FITC conjugated

| Product Code | CSB-PA861151LC01HU |
|---|---|
| Abbreviation | Cyclin-dependent kinase 2-interacting protein |
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q9BW66 |
| Immunogen | Recombinant Human Cyclin-dependent kinase 2-interacting protein (1-212AA) |
| Raised In | Rabbit |
| Species Reactivity | Human |
| Tested Applications | ELISA |
| Relevance | Interacts with the components of the replication complex and 2 kinases, CDK2 and CDC7, thereby providing a functional and physical link between CDK2 and CDC7 during firing of the origins of replication. Regulates ATR-mediated checkpoint signaling. |
| Form | Liquid |
| | |
| Conjugate | FITC |
| Conjugate Storage Buffer | FITC Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| | Preservative: 0.03% Proclin 300 |
| Storage Buffer | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Storage Buffer Purification Method | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified |
| Storage Buffer Purification Method Isotype | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG |
| Storage Buffer Purification Method Isotype Clonality | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal |
| Storage Buffer Purification Method Isotype Clonality Alias | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Cyclin-dependent kinase 2-interacting protein (CDK2-interacting protein), CINP |