



HIF1AN Antibody, FITC conjugated

Product Code	CSB-PA865160LC01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q9NWT6
Immunogen	Recombinant Human Hypoxia-inducible factor 1-alpha inhibitor protein (2-254AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA
Relevance	Hydroxylates HIF-1 alpha at 'Asp-803' in the C-terminal transactivation domain (CAD). Functions as an oxygen sensor and, under normoxic conditions, the hydroxylation prevents interaction of HIF-1 with transcriptional coactivators including Cbp/p300-interacting transactivator. Involved in transcriptional repression through interaction with HIF1A, VHL and histone deacetylases. Hydroxylates specific Asn residues within ankyrin repeat domains (ARD) of NFKB1, NFKBIA, NOTCH1, ASB4, PPP1R12A and several other ARD-containing proteins. Also hydroxylates Asp and His residues within ARDs of ANK1 and TNKS2, respectively. Negatively regulates NOTCH1 activity, accelerating myogenic differentiation. Positively regulates ASB4 activity, promoting vascular differentiation.
Form	Liquid
Conjugate	FITC
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Hypoxia-inducible factor 1-alpha inhibitor (EC 1.14.11.30) (EC 1.14.11.n4) (Factor inhibiting HIF-1) (FIH-1) (Hypoxia-inducible factor asparagine hydroxylase), HIF1AN, FIH1
Species	Homo sapiens (Human)
Research Area	Epigenetics and Nuclear Signaling
Target Names	HIF1AN