





## RBSN Antibody, Biotin conjugated

Product Code	CSB-PA884441LD01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q9H1K0
Immunogen	Recombinant Human Rabenosyn-5 protein (201-500AA)
Raised In	Rabbit
<b>Species Reactivity</b>	Human
<b>Tested Applications</b>	ELISA
Relevance	Rab4/Rab5 effector protein acting in early endocytic membrane fusion and membrane trafficking of recycling endosomes. Required for endosome fusion either homotypically or with clathrin coated vesicles. Plays a role in the lysosomal trafficking of CTSD/cathepsin D from the Golgi to lysosomes. Also promotes the recycling of transferrin directly from early endosomes to the plasma membrane. Binds phospholipid vesicles containing phosphatidylinositol 3-phosphate (PtdInsP3) (PubMed:11062261, PubMed:11788822, PubMed:15020713). Plays a role in the recycling of transferrin receptor to the plasma membrane (PubMed:22308388).
	placina membrane (i abilica.2200000).
Form	Liquid
Form Conjugate	·
	Liquid
Conjugate	Liquid Biotin Preservative: 0.03% Proclin 300
Conjugate Storage Buffer	Liquid Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Conjugate Storage Buffer Purification Method	Liquid  Biotin  Preservative: 0.03% Proclin 300  Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified
Conjugate Storage Buffer Purification Method Isotype	Liquid  Biotin  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG
Conjugate Storage Buffer  Purification Method Isotype Clonality	Liquid  Biotin  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal  Rabenosyn-5 (110 kDa protein) (FYVE finger-containing Rab5 effector protein rabenosyn-5) (RAB effector RBSN) (Zinc finger FYVE domain-containing protein
Conjugate Storage Buffer  Purification Method Isotype Clonality Alias	Liquid  Biotin  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal  Rabenosyn-5 (110 kDa protein) (FYVE finger-containing Rab5 effector protein rabenosyn-5) (RAB effector RBSN) (Zinc finger FYVE domain-containing protein 20), RBSN, ZFYVE20