





MTRR Antibody, Biotin conjugated

| Product Code | CSB-PA890659ED01HU |
|---|---|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q9UBK8 |
| Immunogen | Recombinant Human Methionine synthase reductase protein (1-725AA) |
| Raised In | Rabbit |
| Species Reactivity | Human |
| Tested Applications | ELISA |
| Relevance | Involved in the reductive regeneration of cob(I)alamin (vitamin B12) cofactor required for the maintenance of methionine synthase in a functional state. Necessary for utilization of methylgroups from the folate cycle, thereby affecting transgenerational epigenetic inheritance. Folate pathway donates methyl groups necessary for cellular methylation and affects different pathways such as DNA methylation, possibly explaining the transgenerational epigenetic inheritance effects. |
| | |
| Form | Liquid |
| Form Conjugate | Liquid Biotin |
| | • |
| Conjugate | Biotin Preservative: 0.03% Proclin 300 |
| Conjugate Storage Buffer | Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Conjugate Storage Buffer Purification Method | Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified |
| Conjugate Storage Buffer Purification Method Isotype | Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG |
| Conjugate Storage Buffer Purification Method Isotype Clonality | Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal |
| Conjugate Storage Buffer Purification Method Isotype Clonality Alias | Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Methionine synthase reductase (MSR) (EC 1.16.1.8), MTRR |