







## **PPIB** Antibody

<b>Product Code</b>	CSB-PA906437
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P23284
Immunogen	Fusion protein of Human PPIB
Raised In	Rabbit
Species Reactivity	Human,Mouse,Rat
<b>Tested Applications</b>	ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:500-1:2000,IHC:1:100-1:300
Relevance	The protein encoded by this gene is a cyclosporine-binding protein and is mainly located within the endoplasmic reticulum. It is associated with the secretory pathway and released in biological fluids. This protein can bind to cells derived from T- and B-lymphocytes, and may regulate cyclosporine A-mediated immunosuppression. Variants have been identified in this protein that give rise to recessive forms of osteogenesis imperfecta.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
<b>Purification Method</b>	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	PPIB
Image	The image on the left is immunohistochemistry of



The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using CSB-PA906437(PPIB Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: x200)




The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA906437(PPIB Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)









Gel: 10%SDS-PAGE, Lysate: 40 µg, Lane 1-4: Human fetal liver tissue, 293T cells, human liver cancer tissue, hela cells, Primary antibody: CSB-PA906437(PPIB Antibody) at dilution 1/450, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 20 seconds