







EIF3F Antibody

Product Code	CSB-PA975347
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O00303
Immunogen	Fusion protein of Human EIF3F
Raised In	Rabbit
Species Reactivity	Human,Mouse
Tested Applications	ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:200-1:1000,IHC:1:50-1:200
Relevance	Eukaryotic translation initiation factor 3 subunit F is a protein that in humans is encoded by the EIF3F gene. The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification Method	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	EIF3F
Image	The image on the left is immunohistochemistry of



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using CSB-PA975347(EIF3F Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA975347(EIF3F Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)




CUSABIO TECHNOLOGY LLC









Gel: 8%SDS-PAGE, Lysate: 40 μg, Lane: Mouse skin tissue, Primary antibody: CSB-PA975347(EIF3F Antibody) at dilution 1/250, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 40 seconds