






TNFSF13B Antibody

| Product Code | CSB-PA981923 |
|----------------------------|---|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q9Y275 |
| Immunogen | Fusion protein of Human TNFSF13B |
| Raised In | Rabbit |
| Species Reactivity | Human |
| Tested Applications | ELISA,WB,IHC;ELISA:1:2000-1:5000,WB:1:200-1:1000,IHC:1:25-1:100 |
| Relevance | The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for receptors TNFRSF13B/TACI, TNFRSF17/BCMA, and TNFRSF13C/BAFFR. This cytokine is expressed in B cell lineage cells, and acts as a potent B cell activator. It has been also shown to play an important role in the proliferation and differentiation of B cells. Alternatively spliced transcript variants encoding distinct isoforms have been identified. |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Purification Method | Antigen affinity purification |
| Isotype | IgG |
| Alias | tumor necrosis factor (ligand) superfamily, member 13b |
| Species | Homo sapiens (Human) |
| Target Names | TNFSF13B |
| Image | The image on the left is immunohistochemistry of |



The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using CSB-PA981923(TNFSF13B Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)

















The image on the left is immunohistochemistry of paraffin-embedded Human lymphoma tissue using CSB-PA981923(TNFSF13B Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)



Gel: 10%SDS-PAGE, Lysate: 40 μg, Lane 1-3: K562 cells, 231 cells, SKOV3 cells, Primary antibody: CSB-PA981923(TNFSF13B Antibody) at dilution 1/200, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 seconds