





## Mouse Interleukin 2,IL-2 ELISA kit

Product Code	CSB-E04627m
Abbreviation	IL2
Protein Biological Process 1	Immunity
Uniprot No.	P04351
Product Type	ELISA Kit
Immunogen Species	Mus musculus (Mouse)
Sample Types	serum, plasma, tissue homogenates
<b>Detection Range</b>	31.25 pg/ml - 2000 pg/ml
Sensitivity	7.8 pg/ml
Assay Time	1-5h
Sample Volume	50-100ul
<b>Detection Wavelength</b>	450 nm
Lead Time	3-5 working days after you place the order, and it takes another 3-5 days for delivery via DHL or FedEx.
Research Area	Immunology
Quality Control	A microplate reader capable of measuring absorbance at 450 nm, with the correction wavelength set at 540 nm or 570 nm.  An incubator can provide stable incubation conditions up to 37°C±5°C.  Centrifuge  Vortex  Squirt bottle, manifold dispenser, or automated microplate washer  Absorbent paper for blotting the microtiter plate 50-300ul multi-channel micropipette  Pipette tips  Single-channel micropipette with different ranges 100ml and 500ml graduated cylinders  Deionized or distilled water  Timer  Test tubes for dilution
Gene Names	II2
Tag Info	quantitative
<b>Protein Description</b>	Sandwich
Component	A micro ELISA plateThe 96-well plate has been pre-coated with an antimouse IL-2 antibody. This dismountable microplate can be divided into 12 x 8 strip plates.  Two vials lyophilized standardDilute a bottle of the standard at dilution series, read the OD values, and then draw a standard curve.

## **CUSABIO TECHNOLOGY LLC**







One vial Biotin-labeled IL-2 antibody (100 x concentrate) (120 μl/bottle) ---Act as the detection antibody.

One vial HRP-avidin (100 x concentrate) (120 µl/bottle) ---Bind to the detection antibody and react with the TMB substrate to make the solution chromogenic. One vial Biotin-antibody Diluent (15 ml/bottle) --- Dilute the Biotin-antibody. One vial HRP-avidin Diluent (15 ml/bottle) --- Dilute the HRP-avidin solution. One vial Sample Diluent (50 ml/bottle)---Dilute the sample to an appropriate concentration.

One vial Wash Buffer (25 x concentrate) (20 ml/bottle) --- Wash away unbound or free substances.

One vial TMB Substrate (10 ml/bottle) ---Act as the chromogenic agent. TMB interacts with HRP, eliciting the solution turns blue.

One vial Stop Solution (10 ml/bottle) ---Stop the color reaction. The solution color immediately turns from blue to yellow.

Four Adhesive Strips (For 96 wells) --- Cover the microplate when incubation. An instruction manual

## Description

This Mouse IL2 ELISA Kit was designed for the quantitative measurement of Mouse IL2 protein in serum, plasma, tissue homogenates, cell culture supernates. It is a Sandwich ELISA kit, its detection range is 15.6 pg/mL-1000 pg/mL and the sensitivity is 3.9 pg/mL.

## **Msds**

{"0":{"fileurl":"https://www.cusabio.com/uploadfile/msds/MSDS CSB-E04627m.pdf","filename":"MSDS"}}