



Mouse advanced glycation end products,AGEs ELISA Kit

| | | | | | | | | | | |
|----------------------|--|------------|--------|------------|-----|-----------|----|--|---------|-------|
| Product Code | CSB-E09414m | | | | | | | | | |
| Abbreviation | AGEs | | | | | | | | | |
| Target Name | advanced glycation end products,AGEs | | | | | | | | | |
| Product Type | ELISA Kit | | | | | | | | | |
| Immunogen Species | Mus musculus (Mouse) | | | | | | | | | |
| Sample Types | serum, plasma, tissue homogenates | | | | | | | | | |
| Detection Range | 0.156 µg/mL-10 µg/mL | | | | | | | | | |
| Sensitivity | 0.039 µg/mL | | | | | | | | | |
| Assay Time | 1-5h | | | | | | | | | |
| Sample Volume | 50-100ul | | | | | | | | | |
| Detection Wavelength | 450 nm | | | | | | | | | |
| Lead Time | 3-5 working days after you place the order, and it takes another 3-5 days for delivery via DHL or FedEx. | | | | | | | | | |
| Research Area | Immunology | | | | | | | | | |
| Tag Info | quantitative | | | | | | | | | |
| Protein Description | Sandwich | | | | | | | | | |
| Description | <p>This Mouse AGEs ELISA Kit was designed for the quantitative measurement of Mouse AGEs protein in serum, plasma, tissue homogenates. It is a Sandwich ELISA kit, its detection range is 0.156 µg/mL-10 µg/mL and the sensitivity is 0.039 µg/mL .</p> | | | | | | | | | |
| Product Precision | <p>Intra-assay Precision (Precision within an assay): CV%<8% Three samples of known concentration were tested twenty times on one plate to assess.</p> <p>Inter-assay Precision (Precision between assays): CV%<10% Three samples of known concentration were tested in twenty assays to assess.</p> | | | | | | | | | |
| Linearity | <p>To assess the linearity of the assay, samples were spiked with high concentrations of mouse AGEs in various matrices and diluted with the Sample Diluent to produce samples with values within the dynamic range of the assay.</p> <table><tr><td>?</td><td>Sample</td><td>Serum(n=4)</td></tr><tr><td>1:1</td><td>Average %</td><td>86</td></tr><tr><td></td><td>Range %</td><td>82-91</td></tr></table> | ? | Sample | Serum(n=4) | 1:1 | Average % | 86 | | Range % | 82-91 |
| ? | Sample | Serum(n=4) | | | | | | | | |
| 1:1 | Average % | 86 | | | | | | | | |
| | Range % | 82-91 | | | | | | | | |




| | | |
|-----|-----------|--------|
| 1:2 | Average % | 97 |
| | Range % | 92-103 |
| 1:4 | Average % | 99 |
| | Range % | 94-110 |
| 1:8 | Average % | 95 |
| | Range % | 87-100 |

Recovery

The recovery of mouse AGEs spiked to levels throughout the range of the assay in various matrices was evaluated. Samples were diluted prior to assay as directed in the Sample Preparation section.

| | | | | | |
|--|----|--------|-------------|--------------------|-------|
| matrices was evaluated. Samples were diluted prior to assay as directed in the Sample Preparation section. | | | Sample Type | Average % Recovery | Range |
| Serum (n=5) | 93 | 84-99 | | | |
| EDTA plasma (n=4) | 97 | 92-105 | | | |

Typical



These standard curves are provided for demonstration only. A standard curve should be generated for each set of samples assayed.

| µg/ml | OD1 | OD2 | Average | Corrected |
|-------|-------|-------|---------|-----------|
| 10 | 1.958 | 1.900 | 1.929 | 1.779 |
| 5 | 1.583 | 1.602 | 1.593 | 1.443 |
| 2.5 | 1.160 | 1.154 | 1.157 | 1.007 |
| 1.25 | 0.754 | 0.739 | 0.747 | 0.597 |



| | | | | |
|-------|-------|-------|-------|-------|
| 0.625 | 0.471 | 0.434 | 0.453 | 0.303 |
| 0.312 | 0.342 | 0.319 | 0.331 | 0.181 |
| 0.156 | 0.253 | 0.239 | 0.246 | 0.096 |
| 0 | 0.152 | 0.148 | 0.150 | ? |

Msds

```
{"0":{"fileurl":"https://www.cusabio.com/uploadfile/msds/MSDS CSB-E09414m.pdf","filename":"MSDS"}}
```