





Human granulocyte chemotactic protein-2,GCP-2 **ELISA Kit**

| Product Code | CSB-E09990h |
|---------------------------------|--|
| Protein Biological Process 2 | chemokine |
| Abbreviation | CXCL6 |
| Protein Biological Process 1 | Immunity |
| Target Name | chemokine (C-X-C motif) ligand 6 (granulocyte chemotactic protein 2) |
| Uniprot No. | P80162 |
| Alias | CKA-3, GCP-2, GCP2, SCYB6, Small inducible cytokine subfamily B (Cys-X-Cys), member b small inducible cytokine subfamily B (Cys-X-Cys), member 6 (granulocyte chemotactic protein 2) |
| Product Type | ELISA Kit |
| Immunogen Species | Homo sapiens (Human) |
| Protein Biological Process 3 | Chemotaxis |
| Sample Types | serum, plasma, tissue homogenates |
| Detection Range | 78 pg/mL-5000 pg/mL |
| Sensitivity | 19.5 pg/mL |
| Assay Time | 1-5h |
| Sample Volume | 50-100ul |
| Detection Wavelength | 450 nm |
| Lead Time | 3-5 working days after you place the order, and it takes another 3-5 days for delivery via DHL or FedEx. |
| Research Area | Immunology |
| Gene Names | CXCL6 |
| Tag Info | quantitative |
| Protein Description | Sandwich |
| Description | This human GCP-2 ELISA kit employs the quantitative sandwich enzyme immunoassay technique to measure the levels of human GCP-2 in serum. |

immunoassay technique to measure the levels of human GCP-2 in serum, plasma, or tissue homogenates. It also uses the enzyme-substrate chromogenic reaction to visualize and analyze the analyte levels through the color intensity. The intensity of the colored product is in direct proportion to the GCP-2 levels in the sample and is measured at 450 nm through a microplate reader.



CUSABIO TECHNOLOGY LLC





GCP-2, also known as CXCL6, is a neutrophil-recruiting ELR+ chemokine that signals through the receptors CXCR1 and CXCR2 that are expressed on neutrophils. CXCL6-CXCR1/2 signaling mediates multiple biological processes such as inflammation, immunoreaction, cell growth, and metastasis in humans. It also promotes human hepatocyte proliferation through the CXCR1-NF-κB pathway and suppresses collagen I secretion by hepatic stellate cells. CXCL6 is involved in cancer angiogenesis, metastasis, and immune response. CXCL6 promotes the growth and metastasis of various cancers, including non-small cell lung cancer and osteosarcoma (OS).

Msds

{"0":{"fileurl":"https://www.cusabio.com/uploadfile/msds/MSDS CSB-E09990h.pdf","filename":"MSDS"}}