





## Human Serine/threonine-protein kinase LMTK3(LMTK3) ELISA kit

Product Precision	Intra-assay Precision (Precision within an assay): CV%<8% Three samples of known concentration were tested twenty times on one plate to assess.  Inter-assay Precision (Precision between assays): CV%<10% Three samples of known concentration were tested in twenty assays to assess.
Description	This Human LMTK3 ELISA Kit was designed for the quantitative measurement of Human LMTK3 protein in serum, plasma, tissue homogenates. It is a Sandwich ELISA kit, its detection range is 18.75 pg/mL-1200 pg/mL and the sensitivity is 4.7 pg/mL.
Protein Description	Sandwich
Tag Info	quantitative
Gene Names	LMTK3
Research Area	Signal Transduction
Lead Time	3-5 working days after you place the order, and it takes another 3-5 days for delivery via DHL or FedEx.
Detection Wavelength	450 nm
Sample Volume	50-100ul
Assay Time	1-5h
Detection Range Sensitivity	18.75 pg/mL-1200 pg/mL 4.7 pg/mL
Sample Types	serum, plasma, tissue homogenates
Immunogen Species	Homo sapiens (Human)
Product Type	ELISA Kit
Alias	KIAA1883, LMR3, TYKLM3
Uniprot No.	Q96Q04
Target Name	lemur tyrosine kinase 3
Abbreviation	LMTK3
Product Code	CSB-EL013017HU

Linearity





To assess the linearity of the assay, samples were spiked with high concentrations of human LMTK3 in various matrices and diluted with the Sample Diluent to produce samples with values within the dynamic range of the assay.

Sample	Serum(n=4)
Average %	90
Range %	85-94
Average %	97
Range %	92-101
Average %	89
Range %	84-93
Average %	94
Range %	90-98
	Average % Range % Average % Range % Average % Range % Average % Average %

## Recovery


The recovery of human LMTK3 spiked to levels throughout the range of the assay in various matrices was evaluated. Samples were diluted prior to assay as directed in the Sample Preparation section.

Sample Type	Average % Recovery	Range
Serum (n=5)	92	87-98
EDTA plasma (n=4)	105	100-110

## **Typical**

Msds

These standard curves are provided for demonstration only. A standard curve should be generated for each set of samples assayed.



pg/ml OD1 OD2 Average Corrected

1200 2.687 2.532 2.610 2.450 1.994 2.018 2.006 600 1.846 300 1.269 1.295 1.282 1.122 150 0.716 0.728 0.722 0.562 75 0.475 0.483 0.479 0.319 37.5 0.321 0.307 0.314 0.154 0.081 18.75 0.243 0.239 0.241 ? 0.158 0.162 0.160

{"0":{"fileurl":"https://www.cusabio.com/uploadfile/msds/MSDS CSB-



## **CUSABIO TECHNOLOGY LLC**



EL013017HU.pdf","filename":"MSDS"}}