





Recombinant Human Thymidine kinase 2, mitochondrial (TK2)

Product Code	CSB-EP023578HU
Relevance	Phosphorylates thymidine, deoxycytidine, and deoxyuridine in the mitochondrial matrix. In non-replicating cells, where cytosolic dNTP synthesis is down-regulated, mtDNA synthesis depends solely on TK2 and DGUOK. Widely used as target of antiviral and chemotherapeutic agents.
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	O00142
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	Greater than 85% as determined by SDS-PAGE.
Sequence	VQRRAWPPDKEQEKEKKSVICVEGNIASGKTTCLEFFSNATDVEVLTEPVSKW RNVRGHNPLGLMYHDASRWGLTLQTYVQLTMLDRHTRPQVSSVRLMERSIHS ARYIFVENLYRSGKMPEVDYVVLSEWFDWILRNMDVSVDLIVYLRTNPETCYQ RLKKRCREEEKVIPLEYLEAIHHLHEEWLIKGSLFPMAAPVLVIEADHHMERML ELFEQNRDRILTPENRKHCP
Lead Time	Delivery time may differ from different purchasing way or location, please kindly consult your local distributors for specific delivery time.
Research Area	Epigenetics and Nuclear Signaling
Source	E.coli
Gene Names	TK2
Protein Names	Mt-TK
Expression Region	34-265aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 10xHis-tagged and C-terminal Myc-tagged
Mol. Weight	32.5 kDa
Protein Description	Full Length of Mature Protein
Image	




CUSABIO TECHNOLOGY LLC

🕜 Tel: +1-301-363-4651 💢 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🌘







(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.