





## Recombinant Enterobacteria phage M13 (Bacteriophage M13) Tail virion protein G9P

| <b>Product Code</b> | CSB-EP301675ECY   |
|---------------------|---|
| Relevance           | May initiate with G7P the virion concomitant assembly-budding process, by interacting with the packaging signal of the viral genome. The assembly-budding takes place at the host inner membrane. In turn, G7P and G9P are present at the end of the filamentous virion that emerges first from the bacterial host. |
| Storage             | The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.                                     |
| Uniprot No.         | P69538  |
| Alias               | Coat protein C, polypeptide II G9P  |
| Product Type        | Recombinant Protein   |
| Immunogen Species   | Enterobacteria phage M13 (Bacteriophage M13)  |
| Purity              | Greater than 90% as determined by SDS-PAGE.   |
| Sequence            | MSVLVYSFASFVLGWCLRSGITYFTRLMETSS  |
| Lead Time           | Delivery time may differ from different purchasing way or location, please kindly consult your local distributors for specific delivery time.   |
| Research Area       | Microbiology  |
| Source              | E.coli  |
| Gene Names          | IX  |
| Expression Region   | 1-32aa  |
| Notes               | Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.   |
| Tag Info            | N-terminal 6xHis-SUMO-tagged  |
| Mol. Weight         | 19.7kDa   |
| Protein Description | Full Length   |
| Image               |   |
|                     |   |


**CUSABIO**® Your good partner in biology research



## **CUSABIO TECHNOLOGY LLC**







(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

## Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.