




Recombinant Zaire ebolavirus Pre-small/secreted glycoprotein (GP)

Product Code	CSB-EP350772ZAT
Relevance	sGP ses to possess an anti-inflammatory activity as it can reverse the barrier-decreasing effects of TNF alpha. Might therefore contribute to the lack of inflammatory reaction seen during infection in spite the of extensive necrosis and massive virus production. Does not se to be involved in activation of primary macrophages. Does not se to interact specifically with neutrophils .Delta-peptide does not se to be involved in activation of primary macrophages.
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	P60171
Product Type	Recombinant Protein
Immunogen Species	Zaire ebolavirus (strain Kikwit-95) (ZEBOV) (Zaire Ebola virus)
Purity	Greater than 90% as determined by SDS-PAGE.
Sequence	IPLGVIHNSTLQVSDVDKLVCRDKLSSTNQLRSVGLNLEGNGVATDVPSATKR WGFRSGVPPKVVNYEAGEWAENCYNLEIKKPDGSECLPAAPDGIRGFPRCRY VHKVSGTGPCAGDFAFHKEGAFFLYDRLASTVIYRGTTFAEGVVAFLILPQAKK DFFSSHPLREPVNATEDPSSGYYSTTIRYQATGFGTNETEYLFVVDNLTYVQL ESRFTPQFLLQLNETIYTSGKRSNTTGKLIWKVNPEIDTTIGEWAFWETKKTSL EKFAVKSCLSQLYQTEPKTSVVRVRRELLPTQGPTQQLKTTKSWLQKIPLQWF KCTVKEGKLQCRI
Lead Time	Delivery time may differ from different purchasing way or location, please kindly consult your local distributors for specific delivery time.
Research Area	Others
Source	E.coli
Gene Names	GP
Protein Names	Recommended name: Pre-small/secreted glycoprotein Short name= pre-sGP Cleaved into the following 2 chains: 1. Small/secreted glycoprotein Short name= 2. sGP 3. Delta-peptide
Expression Region	33-364aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 6xHis-SUMO-tagged
Mol. Weight	53.3kDa
Protein Description	Full Length of Mature Protein



Image



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.