




## DXD Monoclonal Antibody, HRP conjugated


<b>Product Code</b>	CSB-MA996977I2m-B
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Immunogen	DXD-BSA conjugate
<b>Tested Applications</b>	ELISA
Form	Liquid
Conjugate	HRP
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
<b>Purification Method</b>	Affinity-chromatography
Isotype	IgG2a
Clonality	Monoclonal
Product Type	Monoclonal Antibody
Gene Names	DXD
Clone No.	12C10A12

**Image** 



The Binding Activity of ADC-1(DXD) with Anti-DXD-HRP antibody Activity: Measured by its binding ability in a functional ELISA. Immobilized ADC-1(DXD) at 2


μg/mL can bind Anti-DXD-HRP antibody, the EC<sub>50</sub> is 9.268 to 11.37 ng/mL.



The Binding Activity of ADC-2(DXD) with Anti-DXD-HRP antibody Activity: Measured by its binding ability in a functional ELISA. Immobilized ADC-2(DXD) at 2

μg/mL can bind Anti-DXD-HRP antibody, the

EC<sub>50</sub> is 10.19 to 11.82 ng/mL.



The Binding Activity of T-DXd(DS-8201) with Anti-DXD-HRP antibody Activity: Measured by its binding ability in a functional ELISA. Immobilized T-DXd(DS-8201) at 2  $\mu g/mL$  can bind Anti-DXD-HRP antibody, the EC<sub>50</sub> is 6.726 to 7.836 ng/mL.