






## **CSK Antibody**

<b>Product Code</b>	CSB-PA006056LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P41240
Immunogen	Recombinant Human Tyrosine-protein kinase CSK protein (325-416AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	Antigen Affinity Purified
Isotype	IgG
Clonality	Polyclonal
Alias	Tyrosine-protein kinase CSK (EC 2.7.10.2) (C-Src kinase) (Protein-tyrosine kinase CYL), CSK
Immunogen Species	Homo sapiens (Human)
Research Area	Signal Transduction
Target Names	CSK
lmaga	

**Image** 



Western Blot

Positive WB detected in: Hela whole cell lysate, Jurkat whole cell lysate, K562 whole cell lysate, Raw264.7 whole cell lysate, HL-60 whole cell

lysate, 293T whole cell lysate All lanes: CSK antibody at 1:2000

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 51 kDa Observed band size: 51 kDa




## **CUSABIO TECHNOLOGY LLC**









IHC image of CSB-PA006056LA01HU diluted at 1:100 and staining in paraffin-embedded human placenta tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.