





Phospho-IL2RA (S268) Antibody

Product CodeCSB-PA009542StorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.P01589ImmunogenSynthesized peptide derived from Human IL-2Rα around the phosphorylation site of S268.Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasIL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor Subunit		
Uniprot No.P01589ImmunogenSynthesized peptide derived from Human IL-2Rα around the phosphorylation site of \$268.Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasIL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; TAC antigen; p55; CD antigen CD25Immunogen SpeciesHomo sapiens (Human)	Product Code	CSB-PA009542
ImmunogenSynthesized peptide derived from Human IL-2Rα around the phosphorylation site of S268.Raised InRabbitSpecies ReactivityHumanTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasIL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; TAC antigen; p55; CD antigen CD25Immunogen SpeciesHomo sapiens (Human)	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
site of S268. Raised In Rabbit Species Reactivity Human Tested Applications WB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Uniprot No.	P01589
Species ReactivityHumanTested ApplicationsWB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasIL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25Immunogen SpeciesHomo sapiens (Human)	Immunogen	
Tested Applications WB, IHC, IF, ELISA; WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:10000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Raised In	Rabbit
Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Species Reactivity	Human
ConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasIL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; TAC antigen; p55; CD antigen CD25Immunogen SpeciesHomo sapiens (Human)	Tested Applications	
Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Form	Liquid
Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Conjugate	Non-conjugated
chromatography using epitope-specific immunogen. Isotype IgG Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Alias IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Purification Method	
RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD antigen CD25 Immunogen Species Homo sapiens (Human)	Isotype	IgG
	Alias	
Target Names IL2RA	Immunogen Species	Homo sapiens (Human)
	Target Names	IL2RA