








## NPY2R Antibody

<b>Product Code</b>	CSB-PA016036LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P49146
Immunogen	Recombinant Human Neuropeptide Y receptor type 2 protein (326-381AA)
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA, WB, IF; Recommended dilution: WB:1:500-1:5000, IF:1:20-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300
	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified
Purification Method	
	>95%, Protein G purified
Isotype	>95%, Protein G purified
Isotype Clonality	>95%, Protein G purified  IgG  Polyclonal  Neuropeptide Y receptor type 2, NPY2-R, NPY-Y2 receptor, Y2 receptor,
Isotype Clonality Alias	>95%, Protein G purified  IgG  Polyclonal  Neuropeptide Y receptor type 2, NPY2-R, NPY-Y2 receptor, Y2 receptor, NPY2R

**Image** 



Western Blot


Positive WB detected in: Hela whole cell lysate, MCF-7 whole cell lysate, U87 whole cell lysate, SH-SY5Y whole cell lysate, U251 whole cell lysate, Jurkat whole cell lysate, K562 whole cell lysate

All lanes: NPY2R antibody at 3.2µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 43 kDa Observed band size: 43 kDa



Immunofluorescence staining of A549 cells with CSB-PA016036LA01HU at 1:166, counterstained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).