




GOT2 Antibody

Product Code	CSB-PA03065A0Rb
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P00505
Immunogen	Recombinant Human Aspartate aminotransferase, mitochondrial protein (33-279AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC, IF; Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200, IF:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Aspartate aminotransferase, mitochondrial (mAspAT) (EC 2.6.1.1) (EC 2.6.1.7) (Fatty acid-binding protein) (FABP-1) (Glutamate oxaloacetate transaminase 2) (Kynurenine aminotransferase 4) (Kynurenine aminotransferase IV) (Kynurenine--oxoglutarate transaminase 4) (Kynurenine--oxoglutarate transaminase IV) (Plasma membrane-associated fatty acid-binding protein) (FABPpm) (Transaminase A), GOT2
Immunogen Species	Homo sapiens (Human)
Research Area	Signal Transduction
Target Names	GOT2

Image



Western blot

All lanes: GOT2 antibody at 3μg/ml

Lane 1: A431 whole cell lysate

Lane 2: HepG2 whole cell lysate

Lane 3: Mouse muscle tissue

Lane 4: Mouse spleen tissue

Lane 5: MCF-7 whole cell lysate

Lane 6: Hela whole cell lysate

Lane 7: LO2 whole cell lysate

Lane 8: 293T whole cell lysate


Lane 9: HL60 whole cell lysate

Secondary


Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 48, 44 kDa

Observed band size: 48 kDa



Immunohistochemistry of paraffin-embedded human liver tissue using CSB-PA03065A0Rb at dilution of 1:100



Immunofluorescent analysis of MCF-7 cells using CSB-PA03065A0Rb at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)