


Image





ATP13A2 Antibody

Product Code	CSB-PA23379A0Rb
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q9NQ11
Immunogen	Recombinant Human Cation-transporting ATPase 13A2 protein (582-736AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, IF; Recommended dilution: IF:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Storage Buffer Purification Method	
	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 >95%, Protein G purified
Purification Method	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 >95%, Protein G purified IgG
Purification Method Isotype Clonality	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 >95%, Protein G purified IgG Polyclonal
Purification Method Isotype Clonality Alias	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 >95%, Protein G purified IgG Polyclonal Cation-transporting ATPase 13A2 (EC 3.6.3), ATP13A2, PARK9
Purification Method Isotype Clonality Alias Immunogen Species	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 >95%, Protein G purified IgG Polyclonal Cation-transporting ATPase 13A2 (EC 3.6.3), ATP13A2, PARK9 Homo sapiens (Human)



Immunofluorescence staining of A549 cells with CSB-PA23379A0Rb at 1:133, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).