




# AGT Antibody

|                            |                                                               |
|----------------------------|---------------------------------------------------------------|
| <b>Product Code</b>        | CSB-PA281661                                                  |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| <b>Uniprot No.</b>         | P01019                                                        |
| <b>Immunogen</b>           | Synthetic peptide of Human AGT                                |
| <b>Raised In</b>           | Rabbit                                                        |
| <b>Species Reactivity</b>  | Human                                                         |
| <b>Tested Applications</b> | ELISA,WB;ELISA:1:2000-1:5000,WB:1:500-1:2000                  |
| <b>Form</b>                | Liquid                                                        |
| <b>Conjugate</b>           | Non-conjugated                                                |
| <b>Storage Buffer</b>      | -20°C, pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol       |
| <b>Purification Method</b> | Antigen affinity purification                                 |
| <b>Isotype</b>             | IgG                                                           |
| <b>Immunogen Species</b>   | Homo sapiens (Human)                                          |
| <b>Target Names</b>        | AGT                                                           |

## Image



Gel: 10%SDS-PAGE, Lysate: 40 µg, Lane:  
Human liver cancer tissue, Primary antibody:  
CSB-PA281661(AGT Antibody) at dilution 1/200,  
Secondary antibody: Goat anti rabbit IgG at  
1/8000 dilution, Exposure time: 5 minutes