


Image





APOBEC3F Antibody

Product Code	CSB-PA816878LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8IUX4
Immunogen	Recombinant Human DNA dC->dU-editing enzyme APOBEC-3F protein (139-287AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IF; Recommended dilution: WB:1:500-1:5000, IF:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300
	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 >95%, Protein G purified
Purification Method	
	>95%, Protein G purified
Isotype	>95%, Protein G purified
Isotype Clonality	>95%, Protein G purified IgG Polyclonal DNA dC->dU-editing enzyme APOBEC-3F (EC 3.5.4) (Apolipoprotein B
Isotype Clonality Alias	>95%, Protein G purified IgG Polyclonal DNA dC->dU-editing enzyme APOBEC-3F (EC 3.5.4) (Apolipoprotein B mRNA-editing enzyme catalytic polypeptide-like 3F) (A3F), APOBEC3F
Isotype Clonality Alias Immunogen Species	>95%, Protein G purified IgG Polyclonal DNA dC->dU-editing enzyme APOBEC-3F (EC 3.5.4) (Apolipoprotein B mRNA-editing enzyme catalytic polypeptide-like 3F) (A3F), APOBEC3F Homo sapiens (Human)



Western Blot

Positive WB detected in: Mouse heart tissue All lanes: APOBEC3F antibody at 2.7µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 46, 10, 12 kDa

Observed band size: 46 kDa




CUSABIO TECHNOLOGY LLC









Immunofluorescent analysis of HepG2 cells using CSB-PA816878LA01HU at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)