


## LEO1 Antibody

<b>Product Code</b>	CSB-PA845150NA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8WVC0
Immunogen	Peptide sequence from Human RNA polymerase-associated protein LEO1 protein (2-24AA)
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:1000-1:5000, IHC:1:200-1:500
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	RNA polymerase-associated protein LEO1 (Replicative senescence down-regulated leo1-like protein), LEO1, RDL
Immunogen Species	Homo sapiens (Human)
Research Area	Epigenetics and Nuclear Signaling
Target Names	LEO1
Image	IHC image of CSB DARAE1EONAO1HI I dijuted at




IHC image of CSB-PA845150NA01HU diluted at 1:300 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.




## **CUSABIO TECHNOLOGY LLC**

🕜 Tel: +1-301-363-4651 💮 Email: cusabio@cusabio.com 🌔 Website: www.cusabio.com 🍵







Western Blot

Positive WB detected in: A549 whole cell lysate, HepG2 whole cell lysate, Hela whole cell lysate,

MCF-7 whole cell lysate

All lanes: LEO1 antibody at 1:2000

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 76, 69 kDa Observed band size: 76 kDa