





# AKAP8 Antibody

|                            |                                                                         |
|----------------------------|-------------------------------------------------------------------------|
| <b>Product Code</b>        | CSB-PA943275                                                            |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.           |
| <b>Uniprot No.</b>         | O43823                                                                  |
| <b>Immunogen</b>           | Synthetic peptide of Human AKAP8                                        |
| <b>Raised In</b>           | Rabbit                                                                  |
| <b>Species Reactivity</b>  | Human                                                                   |
| <b>Tested Applications</b> | ELISA, WB, IHC; ELISA: 1:1000-1:2000, WB: 1:200-1:1000, IHC: 1:25-1:100 |
| <b>Form</b>                | Liquid                                                                  |
| <b>Conjugate</b>           | Non-conjugated                                                          |
| <b>Storage Buffer</b>      | -20°C, pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol                 |
| <b>Purification Method</b> | Antigen affinity purification                                           |
| <b>Isotype</b>             | IgG                                                                     |
| <b>Immunogen Species</b>   | Homo sapiens (Human)                                                    |
| <b>Target Names</b>        | AKAP8                                                                   |

## Image



The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using CSB-PA943275(AKAP8 Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)



Gel: 10%SDS-PAGE, Lysate: 40 µg, Lane: Human liver cancer tissue, Primary antibody: CSB-PA943275(AKAP8 Antibody) at dilution 1/500, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 30 seconds