



Recombinant Human Novel Coronavirus Spike glycoprotein (S), partial


Product Code	CSB-YP3324GMY
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	P0DTC2
Form	Liquid or Lyophilized powder
Storage Buffer	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose.
Product Type	Recombinant Human Novel Coronavirus Spike glycoprotein(S), partial
Immunogen Species	Severe acute respiratory syndrome coronavirus 2 (2019-nCoV) (SARS-CoV-2)
Purity	Greater than 85% as determined by SDS-PAGE.
Sequence	VNLTTRTQLPPAYTNSFTRGVYYPDKVFRSSVLHSTQDLFLPFFSNVTWFWHAIH VSGTNGTKRFDNPVLPFNDGVYFASTEKSNIRGWIFGTTLDSKTQSLLIVNNA TNVVIKVCEFCFCNDPFLGVYYHKNNKSWMESEFRVYSSANNCTFEYVSQPF LMDLEGKQGNFKNLREFVFKNIDGYFKIYSKHTPINLVRDLPQGFSALEPLVDL PIGINITRFQTLALHRSYLT PGDSSSGWTAGAAAYYVGYLQPRTFLLKYNENG TITDAVDCALDPLSETKCTLSFTVEKGIYQTSNFRVQPTESIVRFPNITNLCPF GEVFNATRFASVYAWNKRISNCVADYSVLVNSASFSTFKCYGVSPTKLNDLC FTNVYADSFVIRGDEVQRQIAPGQTGKIADYNYKLPDDFTGCVIAWNSNNLDSK VGGNYNYLYRLFRKSNLKPFERDISTEIQAGSTPCNGVEGFNCYFPLQSYGF QPTNGVGYQPYRVVLSFELLHAPATVCGPKKSTNLVKNKCVNFNFNGLTGT GVLTESNKKFLPFQFGRDIADTTDAVRDPQTLEILDITPCSFGGVSVITPGTNT SNQVAVLYQDVNCTEVPVAIHADQLTPTWRVYSTGSNVFQTRAGCLIGAEHV NNSYECDIPIGAGICASYQTQTNSPRRAR
Lead Time	Delivery time may differ from different purchasing way or location, please kindly consult your local distributors for specific delivery time.
Research Area	Cancer
Source	Yeast
Gene Names	S
Expression Region	16-685aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 6xHis-PDI-tagged
Mol. Weight	133.9 kDa



Protein Description

Partial

Image



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20^o/-80^o. Our default final concentration of glycerol is 50%. Customers could use it as reference.