

## Merlin (Phospho-Ser518) Antibody

Catalog Number: E011266-1, E011266-2

**Amount:** 50μg/50μl, 100μg/100μl

Swiss-Prot No.: P35240

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150mM NaCl,

0.02% sodium azide and 50% glycerol.

Store at -20 °C/1 year Storage/Stability:

The antiserum was produced against synthesized phosphopeptide derived from human Immunogen:

Merlin around the phosphorylation site of serine 518 (R-L-S<sup>P</sup>-M-E).

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using Purification:

> epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.


Specificity/Sensitivity: Merlin (phospho-Ser518) antibody detects endogenous levels of Merlin only when

phosphorylated at serine 518.

Reactivity: Human, Mouse, Rat WB: 1:500~1:1000 Applications:

Guang-Hui Xiao, et,al. (2005) Mol. Cell. Biol; 25: 2384 - 2394. References:

> Hi-Su Yang, et,al. (2006) Cancer Res; 66: 2708 - 2715. R Bohni, et,al. (1994) J. Biol. Chem; 269: 14541 - 14545. Adam J. Ratner, et,al. (2001) J. Biol. Chem; 276: 19267 - 19275.



Western blot analysis of extracts from HUVEC cells untreated or treated with IFN-α (100ng/ml, 15min), using Merlin (Ab-518) antibody (E021258, Line 1 and 2) and Merlin (phospho-Ser518) antibody

(E011266, Line 3 and 4).