

14-3-3 ζ (Phospho-Ser58) Antibody

Catalog Number: E11-0001A

Amount: 100µg/100µl

Swiss-Prot No.: P63104

All Names: 14-3-3 protein zeta/delta, 1433Z, 143Z, FAS, Factor activating exoenzyme S, KCIP-1,

Mitochondrial import stimulation factor S1 subunit, Protein kinase C inhibitor protein-1,

YWHAZ

All Sites: Human: Ser58; Mouse: Ser58; Rat: Ser58

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl,

0.02% sodium azide and 50% glycerol.

Storage/Stability: Store at -20 °C/1 year

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human

14-3-3 ζ around the phosphorylation site of serine 58 (R-S-S^P-W-R).

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatogramphy using non-phosphopeptide corresponding to the phosphorylation site.

Specificity/Sensitivity: 14-3-3 ζ (phospho-Ser58) antibody detects endogenous levels of 14-3-3 ζ only when

phosphorylated at serine 58.

Reactivity: Human, Mouse, Rat

Applications: WB: 1:500~1000 IHC: 1:50~100


IF: 1:100~1:500 ELISA: 1:40000

References: Ying H. Shen Mol. Biol. Cell, Nov 2003; 14: 4721.


David W. Powell, Mol. Cell. Biol., Aug 2003; 23: 5376 - 5387.

Mackintosh. C, (2004) Biochem. J. 381, 329 - 42.


Dougherty, M.K. and Morrison, D.K. (2004) J. Cell Sci. 117, 1875 - 84.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using 14-3-3 ζ (phospho-Ser58) antibody.



Western blot analysis of extracts from NIH/3T3 cells treated with UV (30mins), using 14-3-3 ζ (phospho-Ser58) antibody.



Immunofluorescence analysis of HeLa cells, treated with PMA (125ng/ml, 30mins), using 14-3-3 ζ (phospho-Ser58) antibody.