

## BIK (Ab-33) Antibody

Catalog Number: E11-0053B

**Amount:** 100μg/100μl

Swiss-Prot No.: Q13323

All Names: Apoptosis inducer NBK, BIKLK, BIP1, BP4, Bcl-2 interacting killer, NBK

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150mM NaCl,

0.02% sodium azide and 50% glycerol.

Storage/Stability: Store at -20°C/1 year

**Immunogen:** The antiserum was produced against synthesized non-phosphopeptide derived from human

BIK around the phosphorylation site of threonine 33 (G-M-T-D-S).

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Specificity/Sensitivity BIK (Ab-33) antibody detects endogenous levels of total BIK protein.

Reactivity: Human

**Applications:** WB: 1:500~1:1000 IHC: 1:50~1:100


IF: 1:100~1:500 ELISA: 1:10000

References: Sulekha Verma, J. Biol. Chem., Feb 2001; 276: 4671 - 4676.


Yan M. Li, Cancer Res., Nov 2003; 63: 7630 - 7633. Malti Nikrad, Mol. Cancer Ther., Mar 2005; 4: 443 - 449. Feng Dong, Infect. Immun., Mar 2005; 73: 1861 - 1864.

Hiroo Ueno, Mol. Biol. Cell, Feb 2000; 11: 735.

Hidenori Hase, J. Biol. Chem., Nov 2002; 277: 46950 - 46958. Yasuyuki Hirashima, J. Biol. Chem., Jul 2003; 278: 26793 - 26802.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using BIK (Ab-33) antibody (#B0053).



Western blot analysis of extracts from A549 cells, treated with DMSO (0.1%, 10mins), using BIK (Ab-33) antibody (#B0053, Line 1 and 2).

