

MED1 Antibody

.....

Catalog Number: E11-11093 C

Concentration: 1mg/ml Swiss-Prot No.: Q15648

Other Names: Mediator complex subunit 1

Peroxisome proliferator-activated receptor-binding protein,

PBP, PPAR-binding protein, Thyroid hormone

receptor-associated protein complex 220 kDa component,

Trap220, Thyroid receptor-interacting protein 2
TRIP-2, p53 regulatory protein RB18A, Vitamin D
receptor-interacting protein complex component DRIP205,

Activator-recruited cofactor 205 kDa component, ARC205

Storage/Stability: Store at -20°C/1 year

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Immunogen: The antiserum was produced against

synthesized peptide derived from internal of human

MED1.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Specificity: MED1 antibody detects endogenous levels of

total MED1 protein.

Reactivity: Human, Mouse

ELISA: 1:10000

References:

Drane P., Oncogene 15:3013-3024(1997).

Yuan C.-X., Proc. Natl. Acad. Sci. U.S.A.

95:7939-7944(1998).

Naeaer A.M., Nature 398:828-832(1999).

