

BCAS2 Antibody

Catalog Number: E11-14801 C

Concentration: 1mg/ml Swiss-Prot No.: 075934

Other Names: Pre-mRNA-splicing factor SPF27; Spliceosome-associated protein SPF 27; Breast carcinoma-amplified sequence 2; DNA amplified in mammary carcinoma 1 protein;BCAS2;DAM1

Storage/Stability: Store at -20°C/1 year

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Immunogen: The antiserum was produced against synthesized peptide derived from C-terminal of human BCAS2.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Specificity: BCAS2 antibody detects endogenous levels

of total BCAS2 protein.

Reactivity: Human (Identities = 100%, Positives = 100%);

Mouse (Identities = 100%, Positives = 100%);

Rat (Identities = 100%, Positives = 100%)


Applications: WB: 1:500~1:1000 ELISA: 1:5000

References:

Neubauer G., Nat. Genet. 20:46-50(1998). Nagasaki K., Cancer Lett. 140:219-226(1999).

Ebert L., Submitted (JUN-2004) to the

EMBL/GenBank/DDBJ databases.



Western blot analysis of extracts from HeLa cells, HepG2 cells, Huvec cells, A549 cells, K562 cells and Jurkat cells, using BCAS2 antibody.