



RFC2 Antibody

E11-20934C**Catalog Number:** E11-20934C**Concentration:** 1mg/ml, 100ug/100ul**Swiss-Prot No.:** P35250**Other Names:** Replication factor C subunit 2; Activator 1 subunit 2; Replication factor C 40 kDa subunit; RF-C 40 kDa subunit; RFC40; Activator 1 40 kDa subunit; A1 40 kDa subunit; RFC2**Storage/Stability:** Store at -20°C/1 year**Form of Antibody:** Rabbit IgG in phosphate buffered saline (without Mg^{2+} and Ca^{2+}), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.**Immunogen:** The antiserum was produced against synthesized peptide derived from internal of human RFC2.**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.**Specificity:** RFC2 antibody detects endogenous levels of total RFC2 protein.**Reactivity:** Human (Identities = 100%, Positives = 100%);

Mouse (Identities = 100%, Positives = 100%);

Rat (Identities = 100%, Positives = 100%)


Applications: WB: 1:500~1:1000 ELISA: 1:10000

References:

Chen M., Proc. Natl. Acad. Sci. U.S.A. 89:2516-2520(1992).

Hurwitz J., Submitted (SEP-1996) to the EMBL/GenBank/DDBJ databases.

Martindale D.W., Mamm. Genome 11:890-898(2000).

**For Research Use Only**