

VEGFR2 (Phospho-Tyr1175) Antibody

Catalog Number: E11-7252A

Concentration: 1mg/ml Swiss-Prot No.: P35968

Other Names: EC 2.7.10.1; FLK1; KDR; kinase insert domain receptor; protein-tyrosine kinase receptor Flk-1; vascular endothelial growth factor receptor 2; VGFR2;

VGR2


All Sites: Human: Tyr1175; Mouse: Tyr1173; Rat: Tyr1171

Storage/Stability: Store at -20 °C/1 year

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human VEGFR2 around the phosphorylation site of tyrosine 1175 (K-D-Y^P-I-V).

Purification: The antibody was affinity-purified from



Western blot analysis of extracts from NIH-3T3 cells and HUVEC cells treated with EGF (200ng/ml, 30mins), using VEGFR2 (Phospho-Tyr1175) antibody.

rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.

Specificity: VEGFR2 (Phospho-Tyr1175) antibody detects endogenous levels of VEGFR2 only when

phosphorylated at tyrosine 1175. Reactivity: Human, Mouse, Rat

Applications: WB: 1:500~1:1000 IHC: 1:50~1:100

ELISA: 1:10000 References:

L.Y., Submitted (DEC-1997) the

EMBL/GenBank/DDBJ databases.

Yu Y., Submitted (MAY-1998) to the

EMBL/GenBank/DDBJ databases.

Terman B.I., Oncogene 6:1677-1683(1991).