


| | | |
|--|---|--|
|  | <h2 style="text-align: center;">Cleaved-Caspase-1 p20 (N120) Polyclonal Antibody</h2> | |
|--|---|--|

| | |
|---------------------------------|---|
| Swiss-Prot No.: | P29466 |
| Molecular Weight: | 45.159 |
| Applications: | WB,ELISA |
| Reactivity: | Human |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Immunogen: | Synthesized peptide derived from the Internal region of human Caspase-1 p20. at AA range: 70-150 |
| Specificity/Sensitivity: | Cleaved-Caspase-1 p20 (N120) Polyclonal Antibody detects endogenous levels of fragment of activated Caspase-1 p20 protein resulting from cleavage adjacent to N120. |
| Other Names: | CASP1; IL1BC; IL1BCE; Caspase-1; CASP-1; Interleukin-1 beta convertase; IL-1BC; Interleukin-1 beta-converting enzyme; ICE; IL-1 beta-converting enzyme; p45 |
| Storage/Stability: | -20°C/1 year |
| Source: | Rabbit |
| Form of Antibody: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Protein Concentration: | 1 mg/ml |

For Research Use Only

| | |
|-------------------|---|
| Gene Name: | CASP1 |
| Dilution: | Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications. |