




## Cleaved-Notch 2 (D1733) Polyclonal Antibody

<b>Swiss-Prot No.:</b>	Q04721
<b>Molecular Weight:</b>	265.404
<b>Applications:</b>	WB,IHC,ELISA
<b>Reactivity:</b>	Human,Mouse,Rat
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	Synthesized peptide derived from the Internal region of human Notch 2. at AA rangle: 1660-1740
<b>Specificity/Sensitivity:</b>	Cleaved-Notch 2 (D1733) Polyclonal Antibody detects endogenous levels of fragment of activated Notch 2 protein resulting from cleavage adjacent to D1733.
<b>Other Names:</b>	NOTCH2; Neurogenic locus notch homolog protein 2; Notch 2; hN2
<b>Storage/Stability:</b>	-20°C/1 year
<b>Source:</b>	Rabbit
<b>Form of Antibody:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Protein Concentration:</b>	1 mg/ml

	
	Western Blot analysis of various cells using Cleaved-Notch 2 (D1733) Polyclonal Antibody
Gene Name:	NOTCH2
Dilution:	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.